

15/07/2013
VC100

SCHEDULE TO CLAUSE 32.04 MIXED USE ZONE

Shown on the planning scheme map as **MUZ**.

BAYSIDE MIXED USE AREAS

1.0

Objectives

15/07/2013
VC100

None specified.

2.0

Clause 54 and Clause 55 requirements

15/07/2013
VC100

	Standard	Requirement
Minimum street setback	A3 and B6	<p>Where there is an existing building on both the abutting allotments facing the same street, and the site is not on a corner, the following minimum setback from the front street applies:</p> <p>The greater distance of the setbacks of the front walls of the existing buildings on the abutting allotments facing the front street or 9 metres, whichever is the lesser.</p> <p>Where there is no existing building on either of the abutting allotments facing the same street, and the site is not on a corner, the following minimum setback from the front street applies:</p> <ul style="list-style-type: none"> ▪ 9 metres. <p>All other minimum setbacks from front streets and side streets as specified in the Tables to Standard A3 and Standard B6 continue to apply.</p>
Site coverage	A5 and B8	50 per cent
Permeability	A6 and B9	None specified
Landscaping	B13	None specified
Side and rear setbacks	A10 and B17	A new building not on or within 150mm of a boundary should be set back 2 metres from the side boundary and 3 metres from the rear boundary, plus 0.6 metres for every metre of height over 3.6 metres up to 6.9 metres, plus 2 metres for every metre of height over 6.9 metres.
Walls on boundaries	A11 and B18	None specified
Private open space	A17	None specified
	B28	None specified
Front fence height	A20 and B32	<p>A front fence within 3 metres of a street should not exceed 1.2 metres in 'other streets'.</p> <p>Front fence height in streets in a Road Zone, Category 1 as specified in the Tables to Standard A20 and Standard B32 continue to apply.</p>

3.0 Maximum building height requirement

15/07/2013
VC100

None specified.

4.0 Exemption from notice and review

15/07/2013
VC100

None specified.

5.0 Application requirements

15/07/2013
VC100

None specified.

6.0 Decision guidelines

15/07/2013
VC100

None specified.